



PORT AUTHORITY
TRANS-HUDSON CORPORATION

GANNETT FLEMING, P.C.
ENGINEERS AND ARCHITECTS

JOHN D. PURO
N.J. Professional Engineer # 246CE0396/100

GENERAL NOTES:

1. THE WORK DELINEATED IN THESE DRAWINGS AND AS SPECIFIED SHALL CONFORM TO ALL NEW JERSEY CODES AND STANDARDS, AS THOUGH PATH WERE A PRIVATE CORPORATION AND SHALL COMPLY WITH ADA GUIDELINES.
2. VERIFY ALL EXISTING DIMENSIONS AND CONDITIONS AT THE JOB SITE.
3. DIMENSIONS ARE FROM THE FACE OF FINISHED WALL TO THE FACE OF FINISHED WALL UNLESS NOTED OTHERWISE ON THE PLANS.
4. USE NO WOOD OR OTHER COMBUSTIBLE MATERIALS ABOVE THE CEILINGS, AS SPECIFIED.
5. BACKER PANELS AND BLOCKING SHALL BE OF NON-COMBUSTIBLE MATERIALS, AS SPECIFIED.
6. PROTECT EXISTING FINISHES WITHIN THE AREAS OF WORK WITH MASONITE THROUGHOUT THE DURATION OF THE WORK. THE PROTECTION SHALL EXTEND A MINIMUM OF (4) FOUR FEET UP THE WALLS. FULLY PROTECT FLOORS.
7. EXISTING ARCHITECTURAL MATERIALS AND FINISHES ARE TO REMAIN IN PLACE IF NOT IMPACTED BY THE ESCALATORS REMOVAL AND REPLACEMENT.
8. REFER TO DIVISION 1 FOR RECYCLING OF CONSTRUCTION DEBRIS MATERIAL.

BARRICADE NOTES

1. FURNISH AND INSTALL BARRICADES WHENEVER CONSTRUCTION ACTIVITIES ARE PRESENT TO PEDESTRIANS.
2. FURNISH AND INSTALL BARRICADES AT ALL ESCALATOR ENTRANCES. SEE ARCHITECTURAL DRAWING A002, A003 AND A008.
3. ALL BARRICADES SHALL HAVE BEVELED EDGES. SEE ARCHITECTURAL DRAWING A002, A003 AND A008.
4. BARRICADES SHALL BE A MINIMUM OF 7'-6" IN HEIGHT. SEE ARCHITECTURAL DRAWING A008.
5. SECURE BARRICADES TO EXISTING STRUCTURES. SEE ARCHITECTURAL DRAWING A002, A003 AND A008.
6. DO NOT UTILIZE HILTI QUICK BOLTS TO FASTEN BARRICADES TO GRANITE/TERRAZO/TILE FLOORING AT CONCOURSE LEVEL, USE WEIGHTS AS PER ARCHITECTURAL DRAWING A008.
7. CONTRACTOR SHALL SUBMIT ALL MATERIAL SAFETY DATA SHEETS (I.E. MSDS) FOR ALL ADHESIVES USED DURING BARRICADE ERECTION. COPY OF SHEETS TO BE SUBMITTED TO THE ENGINEER FOR RECORD PRIOR TO START OF WORK.
8. USE 3/4" FIRE RETARDANT TREATED PLYWOOD FOR ALL BARRICADES.
9. CONSTRUCT ALL FRAMING MEMBERS WITH 2" X 4" MINIMUM STUDDING FOR ALL BARRICADES. SEE ARCHITECTURAL DRAWING A002, A003 AND A008.
10. PAINT ALL BARRICADES WITH FIRE RETARDANT PAINT. PAINT COLOR SHALL BE PANTONE BLUE (#7461). SEE ARCHITECTURAL DRAWING A002, A003 AND A008.
11. PERIODICALLY RE-PAINT ALL BARRICADES TO ELIMINATE ANY UNSIGHTLY MARKS OR GRAFFITI.
12. SUPPLY ALL BARRICADE ENTRANCES WITH LOCKS. ALL LOCKS MUST MEET WITH THE APPROVAL OF THE ENGINEER. SUPPLY SPARE KEYS FOR LOCKS TO THE ENGINEER. SEE ARCHITECTURAL DRAWING A002, A003 AND A008.
13. KEEP PASSAGEWAYS CLEAR FOR PUBLIC ACCESS. COORDINATE PASSAGEWAY CLEARANCE WITH THE ENGINEER. SEE ARCHITECTURAL DRAWING A002, A003, A008 AND MTO02.
14. COVER ALL SURROUNDING WALLS AND EXISTING ENCLOSURES WITHIN WORK AREAS WITH MASONITE. MASONITE SHALL EXTEND 4'-0" MINIMALLY ON ALL WALL AND ADJACENT SURFACES. SEE ARCHITECTURAL DRAWING A002, A003 AND A008.
15. ALL BARRICADE ACCESS DOORS SHALL MEET OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA) PART 29 CFR MINIMUM REQUIREMENTS FOR ACCESS AND SAFETY.
16. COORDINATE ALL BARRICADE POSTED SIGNS WITH THE ENGINEER. SEE DRAWING MTO02.
17. NO STORAGE ON TOP OF BARRICADES WILL BE PERMITTED.

No.	Date	Revision	Approved

ENGINEERING DEPARTMENT

**JOURNAL
SQUARE
TRANSPORTATION
CENTER**

GENERAL

Title
**BUS TERMINAL
ESCALATOR REPLACEMENT**

GENERAL NOTES

This drawing subject to conditions in contract. All inventions, ideas, designs and methods herein are reserved to Port Authority and may not be used without its written consent.
All recipients of Contract documents, including bidders and those who do not bid and their prospective subcontractors and suppliers who may receive all or a part of the Contract documents or copies thereof, shall make every effort to ensure the secure and appropriate disposal of the Contract documents to prevent further disclosure of the information contained in the documents. Secure and appropriate disposal includes methods of document destruction such as shredding or arrangements with release handlers that ensure that third parties will not have access to the documents' contents either before, during, or after disposal. Documents may only be returned for disposal purposes to the Contract Desk on the 3rd Floor, 3 Gateway Center, Newark, NJ 07102 or the office of the Director of Procurement, One Madison Avenue, 7th Floor, New York, NY 10010.

S. STEINER S. STEINER S. FITZGERALD
Designed by Drawn by Checked by

Date 11/17/2008

Contract Number **PAT-214.004**

Drawing Number **G005**
PID# 07957000